



# MASTER LEDtube GA

## MASTER LEDtube GA 1500mm 25W 840 G13

The Philips MASTER LEDtube integrates a LED light source into a traditional fluorescent form factor. Its unique design creates a perfectly uniform visual appearance which cannot be distinguished from traditional fluorescent. This product is the ideal solution for up lighting in general lighting applications.

### Product data

#### • General Characteristics

Cap-Base	G13
Life to 70% lumen maintenance	40000 hr

#### • Light Technical Characteristics

Color Code	840
Beam Angle	120 D
Correlated Color Temperature	4000 K
Luminous Flux	1900 Lm
Color rendering index	85

#### • Electrical Characteristics

Wattage	25 W
Voltage	100-240 V
Power Factor	0.9 (min) -

#### • Temperature Characteristics

T-case maximum	55 (max) C
Operating temperature	-30 (min), 45 (max) C
T-Storage	-40 (min), 65 (max) C

#### • Product Dimensions

Length A1	1499 mm
Length A3	1514.0 mm

Fixing Hole Distance	1507.0 mm
A2 Length	
Mounting hole diameter	28 mm
Circular outline dimension	25.68 mm

#### • Approval & Application Chars

VDE marking	Yes
CE marking	Yes
UL certificate	No
RoHS compliance	Yes

#### • Product Data


Order code	929000290408
Full product code	929000290408
Full product name	MASTER LEDtube GA 1500mm 25W 840 G13
Order product name	MST LEDtube GA 1500mm 25W 840 G13
Pieces per pack	1
Packing configuration	10
Packs per outerbox	10
Bar code on pack - EAN1	8718291546627
Bar code on outerbox - EAN3	8718291150091
Logistic code(s) - 12NC	929000290408
Net weight per piece	0.450 kg



# PHILIPS


sense and simplicity

## Dimensional drawing



## MASTER LEDtube

Product	A1 (Norm)	A2 (Norm)	A3 (Norm)	C1 (Norm)	D1 (Norm)	D2 (Norm)
LEDtube 1500mm 25W 840 G13	1499	1507.0	1514.0	-	28	25.68



G13



© 2012 Koninklijke Philips Electronics N.V.  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2012, August 4  
data subject to change